Table 4G

2009 Pediatric Nutrition Surveillance (1)

Kentucky Comparison of Racial and Ethnic Distribution by Metro Area Children Aged < 5 Years (2)

Page: Run Date: 4/8/10

	Comparison of Racial and Ethnic Distribution													
Metro Area	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown						
	Analysis (3)	%	%	%	%	%	%	%						
Lou/Jeff	2,141	9.5	70.6	15.7	0.0	1.9	2.3	0.0						
Metro-Unk	179,130	76.1	11.2	8.6	0.1	0.8	3.3	0.0						
Kentucky	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0						
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7						



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5G

2009 Pediatric Nutrition Surveillance (1) Kentucky

Comparison of Age Distribution by Metro Area Children Aged < 5 Years (2)

Comparison of Age Distribution											
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %							
Lou/Jeff	2,141	36.5	22.4	41.1							
Metro-Unk	179,130	41.0	19.6	39.4							
Kentucky	181,271	41.0	19.6	39.4							
Nation (Prior Year)	8,164,612	35.8	23.0	41.3							



Page:

Run Date:

4/8/10

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2009 Pediatric Nutrition Surveillance (1) Kentucky

Page: 3 Run Date: 4 / 8 / 10

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

			Comparis	on of Gr	owth ar	nd Ane	mia Indi	cators		(3,4)				
Metro Area		Birthweight (5)				Height and Weight								
		Low	Low High		Stature we		Under- Obese weight		≥ 2 Yrs Over- weight ₍₇₎		Low H	emia Hb/Hct 8)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)		
Lou/Jeff	401	15.0 (2)	4.2 (1)	2,043	8.0 (2)	7.0 (2)	12.1 (1)	825	16.7 (2)	13.2 (1)	1,411	8.5 (1)		
Metro-Unk	41,897	9.9 (1)	6.3 (2)	171,766	6.0 (1)	6.6 (1)	13.5 (2)	67,625	16.4 (1)	15.8 (2)	106,450	13.0 (2)		
Kentucky	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9		
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	6 16.5	14.8	4,916,523	14.9		



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G 2009 Pediatric Nutrition Surveillance (1)

Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area Children Aged < 5 Years (3)

Page: Run Date:

(2)

4/8/10

Metro Area		Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)	
Lou/Jeff	404	37.6 (2)	276	16.7 (1)	298	9.1 (1)	0	* *	0	* *	943	99.9 (1)	2,141	0.1 (1)	
Metro-Unk	42,549	37.8 (1)	24,259	12.2 (2)	24,536	5.3 (2)	0	* *	0	* *	75,430	91.0 (2)	179,129	27.2 (2)	
Kentucky	42,953	37.8	24,535	12.2	24,834	5.4	0	*	0	*	76,373	91.1	181,270	26.9	
Nation (Prior Year)	1,719,0	83 62.0	848,761	26.9	1,038,2	03 19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	2 10.9	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2007 - 2009 Pediatric Nutrition Surveillance (1) Kentucky

Page: 5 Run Date: 4 / 8 / 10

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

			Comparis	on of G	owth ar	nd Aneı	mia Indi	cators		(3,4)			
		Birthweight			An	emia							
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct 8)	
Metro Area	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)	
Lou/Jeff	1,306	15.5 (2)	4.0 (1)	5,841	7.4 (2)	6.4 (1)	12.6 (1)	2,302	15.8 (1)	14.4 (1)	3,929	10.4 (1)	
Metro-Unk	119,542	9.9 (1)	6.2 (2)	472,851	6.0 (1)	6.5 (2)	13.2 (2)	186,097	16.5 (2)	15.7 (2)	293,470	12.7 (2)	
Kentucky	120,848	10.0	6.2	478,692	6.0	6.5	13.2	188,399	16.5	15.7	297,399	12.6	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G 2007 - 2009 Pediatric Nutrition Surveillance (1)

Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area Children Aged < 5 Years (3)

Page: Run Date: 4/8/10

(2)

		Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Metro Area	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)	
Lou/Jeff	1,934	39.8 (1)	1,515	14.3 (1)	1,046	8.9 (1)	0	* *	0	* *	2,555	100.0 (1)	3,774	0.0 (1	
Metro-Unk	161,021	37.9 (2)	108,839	8.7 (2)	84,252	4.7 (2)	0	* *	0	* *	204,985	91.7 (2)	298,186	27.5 (2	
Kentucky	162,95	5 37.9	110,354	8.8	85,298	4.8	0	*	0	*	207,540	91.8	301,960	27.1	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.